

**Article no.** M-63ENSF  
**Catalog No.** M-63ENSF

### Delivery program

Product range			Fuse accessory
Basic function			Fuse-holder
Field of application			low voltage
Rated current	I	A	63
Rated voltage			AC 550 V
Construction size			BS88/F2
Description			screw or DIN rail mounting, front connected/front connected
Number of poles			1P
usable for size/applications			fuse-link ESD
Standard/Approval			BS
Standards/Regulations			BS88 IEC 60269

### Technical data ETIM 6.0

Circuit breakers and fuses (EG000020) / Low Voltage HRC fuse base (EC000067)			
Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse systems / Low-Voltage HRC fuse base (ecl@ss8.1-27-14-21-06 [AKE278010])			
Construction size			-
Number of poles			1
Nominal rated current		A	63
Bus-mounting type			Yes
Swivelling mechanism			No

### Additional product information (links)

Product datasheet (pdf)	<a href="http://www1.cooperbussmann.com/bussmanncms/uploads/Fuseholder_brochure_lowres(1).pdf">http://www1.cooperbussmann.com/bussmanncms/uploads/Fuseholder_brochure_lowres(1).pdf</a>
-------------------------	---