Movement sensor, PIR

Part no.	**CBMA-02/01**
Article no.	**104921**

EAT•N
Powering Business Worldwide™

Delivery program

Product Type		Sensor
Mounting type		Surface mounted
Power supply		Battery
Sensor Type		Motion Presence

Technical data ETIM 6.0

Installation bus systems (EG000032) / Movement sensor for bus system (EC001582)		
Electric engineering, automation, process control engineering / Electrical installation, device / Bus system / Movement sensor for bus system (ecl@ss8.1-27-14-31-44 [ACN421008])		
Bus system KNX		No
Bus system KNX radio		No
Bus system radio frequent		No
Bus system LON		No
Bus system Powernet		No
Other bus systems		-
Radio frequent bidirectional		Yes
Model		Movement sensor
Mounting method		Surface mounted (plaster)
Material		Plastic
Material quality		Thermoplastic
Surface protection		Untreated
Type of surface		Not applicable
Colour		White
RAL-number (akin)		9003
Transparent		No
Bus connection included		No
Substation input		No
Creep-under protection		No
Operation mode switch		Yes
Animal zone		No
Staircase monitoring		No
Response value luminosity adjustable		Yes
Teach-function for response value luminosity		No
Switch-off delay self-learning		No
Optimum mounting height	m	2.2
Max. transmission range sideways	m	12
Max. transmission range frontally	m	12
Diameter detection range on floor	m	12
Detection angle vertical	°	0 - 90
Detection angle horizontal	°	0 - 110
Number of channels		2
Number of binary inputs		0
Switching power	W	0
Min. switch-on time	s	30
Max. duty cycle	min	30