

Socket, 4p, 630A

Design verification as per IEC/EN 61439

Part no. NZM3-4-XSVS Article no. 168473 Catalog No. NZM3-4-XSVS



The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.

Is the panel builder's responsibility. The specifications for the switchgear must be

Is the panel builder's responsibility. The specifications for the switchgear must be

The device meets the requirements, provided the information in the instruction

Similar to illustration

500.g.: 1011110441011 40 por 120, 211 01 100			
Technical data for design verification			
Equipment heat dissipation, current-dependent	$P_{vid}$	W	83.35
EC/EN 61439 design verification			
10.2 Strength of materials and parts			
10.2.2 Corrosion resistance			Meets the product standard's requirements.
10.2.3.1 Verification of thermal stability of enclosures			Meets the product standard's requirements.
10.2.3.2 Verification of resistance of insulating materials to normal heat			Meets the product standard's requirements.
10.2.3.3 Verification of resistance of insulating materials to abnormal heat and fire due to internal electric effects $$			Meets the product standard's requirements.
10.2.4 Resistance to ultra-violet (UV) radiation			Meets the product standard's requirements.
10.2.5 Lifting			Does not apply, since the entire switchgear needs to be evaluated.
10.2.6 Mechanical impact			Does not apply, since the entire switchgear needs to be evaluated.
10.2.7 Inscriptions			Meets the product standard's requirements.
10.3 Degree of protection of ASSEMBLIES			Does not apply, since the entire switchgear needs to be evaluated.
10.4 Clearances and creepage distances			Meets the product standard's requirements.
10.5 Protection against electric shock			Does not apply, since the entire switchgear needs to be evaluated.
10.6 Incorporation of switching devices and components			Does not apply, since the entire switchgear needs to be evaluated.
10.7 Internal electrical circuits and connections			Is the panel builder's responsibility.
10.8 Connections for external conductors			Is the panel builder's responsibility.
10.9 Insulation properties			
10.9.2 Power-frequency electric strength			Is the panel builder's responsibility.
10.9.3 Impulse withstand voltage			Is the panel builder's responsibility.
10.9.4 Testing of enclosures made of insulating material			Is the panel builder's responsibility.

## **Technical data ETIM 6.0**

10.12 Electromagnetic compatibility

10.10 Temperature rise

10.11 Short-circuit rating

10.13 Mechanical function

Teelinear data ETIM 0.0					
Low-voltage industrial components (EG000017) / Chassis part power circuit breaker (EC002043)					
Electric engineering, automation, process control engineering / Low-voltage switch technology / Circuit breaker (LV < 1 kV) / Chassis part circuit breaker (ecl@ss8.1-27-37-04-22 [ACN955008])					
Rated current In	Α	500			
Number of poles		4			
Version as busbar adapter		No			
Version as built-in device		Yes			
Type of electrical connection of main circuit		Screw connection			

observed.

observed.

leaflet (IL) is observed.