CRIMPFOX 4 IN 1 - Multifunctional tool

1200101

https://www.phoenixcontact.com/us/products/1200101

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Tool for processing ferrules according to DIN 46228-4, 0.5 mm^2 to 2.5 mm^2, equipped with pressure lock, magazine, cutting, stripping, twisting, and crimping unit.

Your advantages

- Robust and durable due to use of resistant plastics
and annealed metals
- Multifunctional crimping pliers for the processing of
Taped ferrules according to DIN 46228-4
- Integrated pressure lock ensures consistently high-quality crimping
- Up to 30% time savings since the process steps required for assembling conductors can be carried out using only one tool
- Visualized process flows directly on the pliers simplify operation

Commercial data

Item number	1200101
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3131
Catalog page	Page 415 (C-3-2019)
GTIN	4055626042381
Weight per piece (including packing)	329 g
Weight per piece (excluding packing)	286.3 g
Customs tariff number	82032000
Country of origin	DE

CRIMPFOX 4 IN 1 - Multifunctional tool

1200101

https://www.phoenixcontact.com/us/products/1200101

Technical data

Notes

Environmental Product Compliance	
California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product properties

Product type	Crimping tool
Compression	Indent crimp
Min. cross section	0.5 mm²
Max. cross section	2.5 mm²
AWG min	20
AWG max	14

Connection data

Conductor connection	
Cross section range, metric	0.5 mm² ... 2.5 mm²
Cross section range AWG	20 ... 14
Stripping length	11 mm

Dimensions

Width	31.5 mm
Height	100 mm
Length	180 mm

Material specifications

Color	black

CRIMPFOX 4 IN 1 - Multifunctional tool

1200101

https://www.phoenixcontact.com/us/products/1200101

Classifications

ECLASS

ECLASS-11.0	21043811
ECLASS-12.0	21043811
ECLASS-13.0	21043811

ETIM

ETIM 9.0	EC000168

UNSPSC

UNSPSC 21.0	27111500