HC-B-TA-PG13-PLR-BK - Adapter

1414247

https://www.phoenixcontact.com/us/products/1414247

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg13.5 thread

Commercial data

Item number	1414247
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BF57
Product key	BF7APL
Catalog page	Page 659 (C-2-2019)
GTIN	4055626022109
Weight per piece (including packing)	20.7 g
Weight per piece (excluding packing)	20.7 g
Customs tariff number	85389099
Country of origin	PL

PHENIX

HC-B-TA-PG13-PLR-BK - Adapter

1414247

https://www.phoenixcontact.com/us/products/1414247



Technical data

Product type	Thread adapter
Application	Bayonet B - Pg
Type of the screw connection	Pg13.5
onnection data	
Tightening torque	4 Nm
mensions	
Dimensional drawing	
Thread type on seal side	Pg13,5
Internal dimensions	
Length of internal thread	10 mm
aterial specifications	
Material	PA
Flammability rating according to UL 94	VO
Seal material O-ring	NBR
Housing material	PA
echanical properties	
Mechanical data	
Type of the screw connection	Pg13.5
vironmental and real-life conditions	
Ambient conditions	IDee
Degree of protection	IP66 -40 °C 100 °C
Ambient temperature (operation)	-40 C 100 C
punting	
Assembly instructions	Bayonet locking max. 3x can be removed
	The plastic thread adapter does not establish an electrical connection between the cable gland and connector housing. F this reason, only plastic cable protection systems or plastic ca

glands may be used.

HC-B-TA-PG13-PLR-BK - Adapter

1414247

https://www.phoenixcontact.com/us/products/1414247



Classifications

ECLASS

ECLASS-11.0	27144432
ECLASS-12.0	27140801
ECLASS-13.0	27140801

ETIM

	ETIM 9.0	EC000441			
UN	UNSPSC				
	UNSPSC 21.0	39121400			



1414247

https://www.phoenixcontact.com/us/products/1414247



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com