HC-B-TA-PG16-PLR-BK - Adapter

1414248

https://www.phoenixcontact.com/us/products/1414248

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg16 thread

Commercial data

Item number	1414248
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BF57
Product key	BF7APL
Catalog page	Page 659 (C-2-2019)
GTIN	4055626022116
Weight per piece (including packing)	25.6 g
Weight per piece (excluding packing)	25.3 g
Customs tariff number	85389099
Country of origin	PL

<u> PHŒNIX</u>

HC-B-TA-PG16-PLR-BK - Adapter

1414248

https://www.phoenixcontact.com/us/products/1414248



Technical data

duct properties	
Product type	Thread adapter
Application	Bayonet B - Pg
Type of the screw connection	Pg16
onnection data	
Tightening torque	6 Nm
mensions	
Dimensional drawing	
Thread type on seal side	Pg16
Internal dimensions	
Length of internal thread	10 mm
laterial specifications	
Material	PA
Flammability rating according to UL 94	V0
Seal material O-ring	NBR
Housing material	PA
lechanical properties Mechanical data Type of the screw connection	Pg16
invironmental and real-life conditions	
Ambient conditions	
Degree of protection	IP66
Ambient temperature (operation)	-40 °C 100 °C
ounting	
Assembly instructions	Bayonet locking max. 3x can be removed
	The plastic thread adapter does not establish an electrical connection between the cable gland and connector housing. Finance this reason, only plastic cable protection systems or plastic cable glands may be used.

HC-B-TA-PG16-PLR-BK - Adapter

1414248

https://www.phoenixcontact.com/us/products/1414248



Classifications

ECLASS

ECLASS-11.0	27144432
ECLASS-12.0	27140801
ECLASS-13.0	27140801

ETIM

	ETIM 9.0	EC000441		
UNSPSC				
	UNSPSC 21.0	39121400		



1414248

https://www.phoenixcontact.com/us/products/1414248



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com