

1414251

https://www.phoenixcontact.com/us/products/1414251

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT 1/2" thread

Commercial data

Item number	1414251
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BF57
Product key	BF7APL
Catalog page	Page 659 (C-2-2017)
GTIN	4055626022147
Weight per piece (including packing)	20.98 g
Weight per piece (excluding packing)	20.85 g
Customs tariff number	85389099
Country of origin	PL



https://www.phoenixcontact.com/us/products/1414251



Technical data

Product properties

Product type	Thread adapter
Application	Bayonet B - NPT

Connection data

Tightening torque	8 Nm

Dimensions

Dimensional drawing	1/2*
Thread type on seal side	1/2-inch NPT
Internal dimensions	
Length of internal thread	15 mm
Astonial and a iff a still as	

Material specifications

Flammability rating according to UL 94	V0
Seal material	NBR
Housing material	PA

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP66
Ambient temperature (operation)	-40 °C 100 °C

Mounting

Assembly instructions	Bayonet locking max. 3x can be removed
	The plastic thread adapter does not establish an electrical connection between the cable gland and connector housing. For this reason, only plastic cable protection systems or plastic cable glands may be used.



1414251

https://www.phoenixcontact.com/us/products/1414251

Classifications

ECLASS

	ECLASS-11.0	27144432
	ECLASS-12.0	27140801
	ECLASS-13.0	27140801
ETIM		
	ETIM 9.0	EC000441
UN	SPSC	

U

UNSPSC 21.0	39121400	



https://www.phoenixcontact.com/us/products/1414251



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com