

# HC-D25-SL-PLBK - Housing brackets



1414668

<https://www.phoenixcontact.com/us/products/1414668>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Replacement plastic single locking latch, for HC-EVO-D25.....BK housing

## Commercial data

Item number	1414668
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BF66
Product key	BF7APZ
Catalog page	Page 663 (C-2-2017)
GTIN	4055626031194
Weight per piece (including packing)	12.65 g
Weight per piece (excluding packing)	12.65 g
Customs tariff number	39269097
Country of origin	PL

# HC-D25-SL-PLBK - Housing brackets



1414668

<https://www.phoenixcontact.com/us/products/1414668>

## Technical data

### Product properties

Type	D25
Product type	Housing latches

### Material specifications

Material	PA
Locking latch material	PA

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------

### Mounting

Assembly instructions	For HC-EVO-D25...BK housing
-----------------------	-----------------------------

# HC-D25-SL-PLBK - Housing brackets



1414668

<https://www.phoenixcontact.com/us/products/1414668>

## Classifications

### ECLASS

ECLASS-11.0	27440192
ECLASS-12.0	27440192
ECLASS-13.0	27440192

### ETIM

ETIM 9.0	EC002943
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# HC-D25-SL-PLBK - Housing brackets



1414668

<https://www.phoenixcontact.com/us/products/1414668>

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	---

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)