A-INSP-PG16-65N-P-BK - Screw plug



https://www.phoenixcontact.com/us/products/1415213

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

9005, with O-ring

Screw plug, material for screw connection: PA, connecting thread: Pg16, color: jet black RAL



Commercial data

Item number	1415213
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BF68
Product key	BF7DZX
Catalog page	Page 703 (C-2-2019)
GTIN	4055626038568
Weight per piece (including packing)	2.17 g
Weight per piece (excluding packing)	2.17 g
Customs tariff number	39269097
Country of origin	DE

PHŒNIX

A-INSP-PG16-65N-P-BK - Screw plug

1415213

https://www.phoenixcontact.com/us/products/1415213



Technical data

Product properties				
Product type	Plug for cable screw gland			
Dimensions				
Dimensional drawing				
Length	9.5 mm			
Length of the connecting thread	6 mm			
Diameter	22.5 mm			
	27 mm			
	27 mm			
Connecting thread diameter	22.5 mm			
Hexagon angular dimension	Diameter			
Thread type connection side	Pg16			
Material specifications				
Material	PA			
Seal material Flat gasket	EPDM			

Environmental and real-life conditions

Material for screw connection

Ambient conditions	
Degree of protection	IP65
Ambient temperature (operation)	-40 °C 100 °C

PA

A-INSP-PG16-65N-P-BK - Screw plug



https://www.phoenixcontact.com/us/products/1415213



Classifications

ECLASS

ECLASS-11.0	23111190
ECLASS-12.0	23111190
ECLASS-13.0	23111190

ETIM

	ETIM 9.0	EC000032
UNSPSC		
	UNSPSC 21.0	31261500



1415213

https://www.phoenixcontact.com/us/products/1415213

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com