

1415224

https://www.phoenixcontact.com/us/products/1415224

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Pressure compensation element, material for screw connection: Stainless steel 1.4305, connecting thread: $M12 \times 1.5$, color: silver, with O-ring

Your advantages

· Reduces the formation of condensation

Commercial data

Item number	1415224
Packing unit	5 pc
Minimum order quantity	5 pc
Sales key	BF68
Product key	BF7DZX
Catalog page	Page 695 (C-2-2019)
GTIN	4055626038674
Weight per piece (including packing)	15.81 g
Weight per piece (excluding packing)	15.81 g
Customs tariff number	73269098
Country of origin	TR



1415224

https://www.phoenixcontact.com/us/products/1415224

Technical data

Product properties

Product type	Pressure compensation element
Air flow rate	16 l/h (at Δ min. 70 mbar)

Connection data

Tightening torque	0.5 Nm 1 Nm (Flange)
rightering torque	0.5 Will T Will (Flainge)

Dimensions

Dimensional drawing	21 0 1 11 11 11 11 11 11 11 11 11 11 11 11
Length	21 mm
Length of the connecting thread	10 mm
Length without connecting thread	11 mm
Diameter	12 mm
Connecting thread diameter	12 mm
Wrench size, union nut	17 mm
Hexagon angular dimension	18.5 mm
Thread type connection side	M12 x 1.5
Thread pitch	1.5 mm

Material specifications

Color	Steel / stainless steel
Material	Acrylic copolymer
	Stainless steel 1.4305
Seal material	Perbunan
Material for screw connection	Stainless steel 1.4305

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP66
	IP67
	IP69
Ambient temperature (operation)	-40 °C 105 °C



1415224

https://www.phoenixcontact.com/us/products/1415224

Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	27440192
	ECLASS-12.0	27440192
	ECLASS-13.0	27440192
ETIM		
	ETIM 9.0	EC002943
UNSPSC		

39121400



1415224

https://www.phoenixcontact.com/us/products/1415224

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com