

https://www.phoenixcontact.com/us/products/1623497

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



CHARX connect, Charging connector holder, Accessories, for vehicle charging connectors on charging stations (EVSE), GB/T, GB/T 20234.3, Front mounting, Park position with pushbutton (N/C contact) to detect the plug state., housing: black

## Product description

Retainer for Vehicle Connector as parking position at charging stations for E-Mobility (EVSE)

#### Your advantages

- · Developed and produced in accordance with the IATF 16949 automotive standard and ISO 9001
- · Individual branding, thanks to the use your own logo

### Commercial data

Item number	1623497
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	XWBAJG
Catalog page	Page 43 (C-7-2019)
GTIN	4055626193878
Weight per piece (including packing)	131.6 g
Weight per piece (excluding packing)	131 g
Country of origin	CN



https://www.phoenixcontact.com/us/products/1623497

## Technical data

#### **Product properties**

Product type	Charging connector holder
Product family	CHARX connect
Application	for vehicle charging connectors on charging stations (EVSE)
Туре	Accessories
Charging standard	GB/T
Charging mode	Mode 4

#### Dimensions

Width	91 mm
Height	91 mm
Depth	68.75 mm
Dimensional drawing	

Bore dimensions	72 mm x 72 mm

#### Material specifications

Color (Housing)	black (9005)
Material (Housing)	Plastic
Flammability rating according to UL 94	V0 ()

#### Mechanical properties

Securing	With actuation lever
Detection	Park position with pushbutton (N/C contact) to detect the plug state.
Removal	Lever actuation and removal

#### Environmental and real-life conditions

Ambient conditions	
Degree of protection	IP54 (plugged in)
Ambient temperature (operation)	-30 °C 50 °C
Ambient temperature (storage/transport)	-40 °C 80 °C

#### Standards and regulations

Standards	
Standards/regulations	GB/T 20234.3

Mounting

X

PHŒN



1623497

https://www.phoenixcontact.com/us/products/1623497

Mounting type Charging connector holder	Front mounting (0° 45° frontal inclination possible)
Mounting hole diameter	7.00 mm



https://www.phoenixcontact.com/us/products/1623497



## Classifications

#### ECLASS

ECLASS-11.0	27144792
ECLASS-12.0	27144792
ECLASS-13.0	27144792

#### ETIM

	ETIM 9.0	EC002884
UN	ISPSC	
	UNSPSC 21.0	39121500

1623497

https://www.phoenixcontact.com/us/products/1623497

# 

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com