

# ME MAX/16 2-2 TBUS DEV-PCB - PCB




2202542

<https://www.phoenixcontact.com/us/products/2202542>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Perfboard for the ME-MAX DEV-KIT; for 4-pos. MSTBO header; ideal for manual soldering



## Your advantages

- Perfboard for self-assembly (for MSTBO headers)
- Hole matrix dimension: 2.54 mm
- Easy installation

## Commercial data

Item number	2202542
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AC08
Product key	ACHABD
GTIN	4055626142302
Weight per piece (including packing)	30.5 g
Weight per piece (excluding packing)	29 g
Customs tariff number	85340019
Country of origin	DK

2202542

<https://www.phoenixcontact.com/us/products/2202542>

## Technical data

### Product properties

Product type	PCB
Housing series	ME-MAX
Product family	ME-MAX
Housing type	DIN rail housing

### Dimensions

Width	95.2 mm
Height	99.2 mm
Depth	1.6 mm

### Material specifications

Color	green
Housing material	FR 4-21

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	110 °C (depending on power dissipation)
---------------------------------	---

# ME MAX/16 2-2 TBUS DEV-PCB - PCB



2202542

<https://www.phoenixcontact.com/us/products/2202542>

## Classifications

### ECLASS

ECLASS-11.0	27182702
ECLASS-13.0	27260692

### ETIM

ETIM 9.0	EC001031
----------	----------

### UNSPSC

UNSPSC 21.0	31261500
-------------	----------

# ME MAX/16 2-2 TBUS DEV-PCB - PCB



2202542

<https://www.phoenixcontact.com/us/products/2202542>

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	---

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)