

2702518

https://www.phoenixcontact.com/us/products/2702518

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



The length of the leaky wave conductor must be adapted to the special length in the application. Connectors are then installed at both cable ends. Wireless devices can be connected to these via a flexible connecting cable.

#### Commercial data

Item number	2702518
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DN23
Product key	DNN2Z3
Catalog page	Page 394 (C-6-2019)
GTIN	4055626201856
Weight per piece (including packing)	155.3 g
Weight per piece (excluding packing)	154.4 g
Customs tariff number	85366910
Country of origin	BE



2702518

https://www.phoenixcontact.com/us/products/2702518

### Technical data

$\overline{}$					
$\mathbf{P}$	rodu	ıct.	nrc	nar	tide
	ıout	ıvı	$\nu$	JUCI	เเธอ

Product type	Coaxial adapter	
Electrical properties		
Frequency range	2.4 GHz 6 GHz	
Impedance	50 Ω	
Connection data		
Connection method	N (female)	
Mounting		
Mounting type	other	



2702518

https://www.phoenixcontact.com/us/products/2702518

### Classifications

UNSPSC 21.0

#### **ECLASS**

ECLASS-11.0	19070417	
ECLASS-12.0	19070417	
ECLASS-13.0	19070417	
ETIM		
ETIM 9.0	EC001135	

39121400



https://www.phoenixcontact.com/us/products/2702518



### Environmental product compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com