
3214022

https://www.phoenixcontact.com/us/products/3214022

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Support bracket, depth: 43.4 mm, width: 2.2 mm, height: 77.7 mm, color: blue



Item number	3214022
Packing unit	50 pc
Minimum order quantity	50 pc
Sales key	BE29
Product key	BE2Z1X
Catalog page	Page 126 (C-1-2019)
GTIN	4046356702201
Weight per piece (including packing)	7.095 g
Weight per piece (excluding packing)	7.095 g
Customs tariff number	39269097
Country of origin	PL

3214022

https://www.phoenixcontact.com/us/products/3214022



Technical data

Product properties

	Product type	Support bracket		
Dimensions				
	Width	2.2 mm		
	Height	77.7 mm		
	Depth	43.4 mm		
Material specifications				
	Color	blue		
	Material	PA		

V0

Environmental and real-life conditions

Flammability rating according to UL 94

Ambient conditions	
Ambient temperature (operation)	-60 °C 105 °C (max. short-term operating temperature RTI Elec.)
Ambient temperature (storage/transport)	-25 °C 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C 70 °C
Ambient temperature (actuation)	-5 °C 70 °C
Permissible humidity (storage/transport)	30 % 70 %

3214022

https://www.phoenixcontact.com/us/products/3214022



Classifications

ECLASS

ECLASS-11.0	27400607		
ECLASS-13.0	27400607		
ECLASS-12.0	27400607		

ETIM

ETIM	9.0	EC001166	
UNSPSC			
UNSF	PSC 21.0	39121700	

3214022

https://www.phoenixcontact.com/us/products/3214022



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com