

UK 5-HESI DM - Feed-through connector



5023901

<https://www.phoenixcontact.com/us/products/5023901>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Feed-through metal in the form of a cartridge fuse insert 5 x 30 mm for use in UK 5-HESI fuse terminal blocks.

Commercial data

Item number	5023901
Packing unit	100 pc
Minimum order quantity	100 pc
Sales key	BE12
Product key	BE1234
GTIN	4017918247522
Weight per piece (including packing)	4.829 g
Weight per piece (excluding packing)	3.95 g
Customs tariff number	85369095
Country of origin	TR

UK 5-HESI DM - Feed-through connector



5023901

<https://www.phoenixcontact.com/us/products/5023901>

Technical data

Product properties

Product type	Bridge
--------------	--------

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-60 °C ... 85 °C
Ambient temperature (storage/transport)	-25 °C ... 55 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

UK 5-HESI DM - Feed-through connector



5023901

<https://www.phoenixcontact.com/us/products/5023901>

Classifications

ECLASS

ECLASS-11.0	27141190
ECLASS-13.0	27141190
ECLASS-12.0	27141190

ETIM

ETIM 9.0	EC002848
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

UK 5-HESI DM - Feed-through connector



5023901
<https://www.phoenixcontact.com/us/products/5023901>

Environmental product compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com