

# CARRIER/L-PMP-ENCLOSED (110X38) - Marker carriers



0831062

<https://www.phoenixcontact.com/us/products/0831062>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Marker carriers, black, unlabeled, mounting type: adhesive, lettering field size: 110 x 38 mm



## Your advantages

- The CARRIER/L-PMP-ENCLOSED (110x38) marker carrier has closed housing and is used in conjunction with insertable UC-PMP or PMP-RFID ... labels and PMT and PMST media marking labels
- The CARRIER features snap-in pins which prevent the labels from falling out. In addition, the PMST (10x38) ... labels can be fixed in the carrier using the RVT-PA 3,5 BK fixing rivet
- They are mounted with adhesive tape on the back or using two M5 countersunk screws.
- They are used to clearly identify devices and control cabinets

## Commercial data

|                                      |                     |
|--------------------------------------|---------------------|
| Item number                          | 0831062             |
| Packing unit                         | 10 pc               |
| Minimum order quantity               | 10 pc               |
| Sales key                            | BG12                |
| Product key                          | BG261A              |
| Catalog page                         | Page 363 (C-3-2019) |
| GTIN                                 | 4046356940931       |
| Weight per piece (including packing) | 28.63 g             |
| Weight per piece (excluding packing) | 29.44 g             |
| Customs tariff number                | 39269097            |
| Country of origin                    | PL                  |

# CARRIER/L-PMP-ENCLOSED (110X38) - Marker carriers



0831062

<https://www.phoenixcontact.com/us/products/0831062>

## Technical data

### Product properties

|              |                 |
|--------------|-----------------|
| Product type | Marker carriers |
|--------------|-----------------|

### Dimensions

|        |        |
|--------|--------|
| Width  | 38 mm  |
| Length | 110 mm |

### Material specifications

|  |                                |
|--|--------------------------------|
| RoHS compliant   | yes                            |
| Color  | black                          |
| Material   | PA                             |
| Flammability rating according to UL 94                           | V0                             |
| Relative insulation material temperature index (Elec., UL 746 B) | 120 °C                         |
| Components   | free from silicone and halogen |

### Environmental and real-life conditions

#### Ambient conditions

|   |                   |
|---|-------------------|
| Ambient temperature (operation)                     | -40 °C ... 105 °C |
| Recommended ambient temperature (storage/transport) | 23 °C             |
| Recommended humidity (storage/transport)            | 50 %              |

### Mounting

|               |          |
|---------------|----------|
| Mounting type | adhesive |
|---------------|----------|

# CARRIER/L-PMP-ENCLOSED (110X38) - Marker carriers



0831062

<https://www.phoenixcontact.com/us/products/0831062>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27281105 |
| ECLASS-12.0 | 27281105 |
| ECLASS-13.0 | 27281105 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC001530 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)