

1003671

https://www.phoenixcontact.com/us/products/1003671

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Tool set, consisting of: CRIMPHANDY 1,0 mm² (packed in a robust case), CRIMPHANDY CUTTER, and taped ferrules, 1.0 mm², 100 strips with 50 ferrules per strip



Commercial data

Item number	1003671
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	BH3521
Catalog page	Page 469 (C-3-2019)
GTIN	4055626472027
Weight per piece (including packing)	2,170 g
Weight per piece (excluding packing)	2,170 g
Country of origin	DE



1003671

https://www.phoenixcontact.com/us/products/1003671

Set consists of

CF CRIMPHANDY 1,0 - Electrical crimping tool

1212465

https://www.phoenixcontact.com/us/products/1212465



Mobile handheld device, battery-powered, for processing on-tape ferrules 1. 0 mm² with functional end, suitable for PVC insulated conductors (H05V-K), incl. battery, charger, CUTFOX 12 cable cutter, waste guide plate 2, service tool for error correction, and one strip of ferrules 1.0 mm², packed in a robust case.

Al 1,0-8 RD-S - Ferrule

1212523

https://www.phoenixcontact.com/us/products/1212523



Band ferrules, 1.0 mm², sleeve length 8 mm, with plastic collar, according to DIN 46228-4, color: red, equipped with function end for safe and convenient processing with the Crimphandy, 20 strips with 50 sleeves per strip.



1003671

https://www.phoenixcontact.com/us/products/1003671

CF CRIMPHANDY CUTTER - Cutting tool

1212520

https://www.phoenixcontact.com/us/products/1212520



Cutting unit, for CF CRIMPHANDY, for stranded copper wires from 0.5 $\rm mm^2 \dots 1.5~\rm mm^2$, incl. receptacle tray

TOOL-ZIPCASE EMPTY - Toolbag, unequipped

1005050

https://www.phoenixcontact.com/us/products/1005050

Tool box, unequipped





1003671

https://www.phoenixcontact.com/us/products/1003671

CF CRIMPHANDY/CHARGER - Charger

1212519

https://www.phoenixcontact.com/us/products/1212519



Replacement charger, for 100 V \dots 240 V AC mains voltage, short charging time, short-circuit-proof, protected against polarity reversal, operating state indicator

CF CRIMPHANDY 1,0/SERVICE-TOOL - Assembly tool

1212759

https://www.phoenixcontact.com/us/products/1212759



Service tool, for CF-CRIMPHANDY 1,0, for rectifying malfunctions



1003671

https://www.phoenixcontact.com/us/products/1003671

Technical data

Product properties

• •		
Product type	Tool set	
Electrical properties		
Frequency range	60 Hz	
Power consumption	20 W	
Supply		
Supply voltage range	7.4 V DC	
Connection data		
Stripping length	10.8 mm	
Conductor cross section flexible	1 mm² 1 mm²	
Dimensions		
Width		
	43 mm	
Height	43 mm 70 mm	



1003671

https://www.phoenixcontact.com/us/products/1003671

Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	17130101
ECLASS-12.0	17130101
ECLASS-13.0	17130101
ETIM	
ETIM 9.0	EC002778
UNSPSC	

27111500



1003671

https://www.phoenixcontact.com/us/products/1003671

Environmental product compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 25;
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com