

1003672

https://www.phoenixcontact.com/us/products/1003672

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Tool set, consisting of: CRIMPHANDY 0.75 mm<sup>2</sup> (packed in a robust case), CRIMPHANDY CUTTER, and taped ferrules, 0.75 mm<sup>2</sup>, 100 strips with 50 ferrules per strip



#### Commercial data

Item number	1003672
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	BH3521
Catalog page	Page 469 (C-3-2019)
GTIN	4055626472287
Weight per piece (including packing)	4,049 g
Weight per piece (excluding packing)	2,170 g
Country of origin	DE



1003672

https://www.phoenixcontact.com/us/products/1003672

#### Set consists of

#### CF CRIMPHANDY 0,75 - Electrical crimping tool

1212464

https://www.phoenixcontact.com/us/products/1212464



Mobile handheld device, battery-powered, for processing on-tape ferrules 0.  $75~\text{mm}^2$  with functional end, suitable for PVC insulated conductors (H05V-K), incl. battery, charger, CUTFOX 12 cable cutter, waste guide plate 2, service tool for error correction, and one strip of ferrules 0.75 mm², packed in a robust case.

#### AI 0,75-8 GY-S - Ferrule

1212522

https://www.phoenixcontact.com/us/products/1212522



Band ferrules, 0.75 mm<sup>2</sup>, sleeve length 8 mm, with plastic collar, according to DIN 46228-4, color: gray, equipped with function end for safe and convenient processing with the Crimphandy, 20 strips with 50 sleeves per strip.



1003672

https://www.phoenixcontact.com/us/products/1003672

#### CF CRIMPHANDY CUTTER - Cutting tool

1212520

https://www.phoenixcontact.com/us/products/1212520



Cutting unit, for CF CRIMPHANDY, for stranded copper wires from 0.5  $\rm mm^2 \dots 1.5~\rm mm^2$ , incl. receptacle tray

#### TOOL-ZIPCASE EMPTY - Toolbag, unequipped

1005050

https://www.phoenixcontact.com/us/products/1005050

Tool box, unequipped





1003672

https://www.phoenixcontact.com/us/products/1003672

#### CF CRIMPHANDY/CHARGER - Charger

1212519

https://www.phoenixcontact.com/us/products/1212519



Replacement charger, for 100 V  $\dots$  240 V AC mains voltage, short charging time, short-circuit-proof, protected against polarity reversal, operating state indicator

#### CF CRIMPHANDY 0,75/SERVICE-TOOL - Assembly tool

1212786

https://www.phoenixcontact.com/us/products/1212786



Service tool, for CF-CRIMPHANDY 0,75, for rectifying malfunctions



1003672

https://www.phoenixcontact.com/us/products/1003672

#### Technical data

#### Product properties

Height

Length

Trouble proportion			
	Product type	Tool set	
	Set comprises	1212516 CF CRIMPHANDY 0,75/GP2	
Electrical properties			
	Frequency range	60 Hz	
	Power consumption	20 W	
9	Supply		
	Supply voltage range	7.4 V DC	
Connection data			
	Stripping length	10.8 mm	
	Conductor cross section flexible	0.75 mm² 0.75 mm²	
Dimensions			
	Width	43 mm	

70 mm

205 mm



1003672

https://www.phoenixcontact.com/us/products/1003672

### Classifications

UNSPSC 21.0

#### **ECLASS**

	ECLASS-11.0	17130101	
	ECLASS-12.0	17130101	
	ECLASS-13.0	17130101	
ETIM			
	ETIM 9.0	EC002778	
UNSPSC			

27111500



1003672

https://www.phoenixcontact.com/us/products/1003672

### Environmental product compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 25;
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com