

1003673

https://www.phoenixcontact.com/us/products/1003673

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Tool set, consisting of: CRIMPHANDY 0.5 $\,\mathrm{mm}^2$ (packed in a robust case), CRIMPHANDY CUTTER, and taped ferrules, 0.5 $\,\mathrm{mm}^2$, 100 strips with 50 ferrules per strip



Commercial data

Item number	1003673
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	BH3521
Catalog page	Page 469 (C-3-2019)
GTIN	4055626471563
Weight per piece (including packing)	4,019 g
Weight per piece (excluding packing)	2,170 g
Country of origin	DE



1003673

https://www.phoenixcontact.com/us/products/1003673

Set consists of

CF CRIMPHANDY 0,5 - Electrical crimping tool

1212463

https://www.phoenixcontact.com/us/products/1212463



Mobile handheld device, battery-powered, for processing on-tape ferrules 0. 5 mm² with functional end, suitable for PVC insulated conductors (H05V-K), incl. battery, charger, CUTFOX 12 cable cutter, waste guide plate 2, service tool for error correction, and one strip of ferrules 0.5 mm², packed in a robust case.

AI 0,5-8 WH-S - Ferrule

1212521

https://www.phoenixcontact.com/us/products/1212521



Ferrule, sleeve length: 8 mm, color: white, number of strips: 20, number of sleeves per strip: 50



1003673

https://www.phoenixcontact.com/us/products/1003673

CF CRIMPHANDY CUTTER - Cutting tool

1212520

https://www.phoenixcontact.com/us/products/1212520



Cutting unit, for CF CRIMPHANDY, for stranded copper wires from 0.5 $\rm mm^2 \dots 1.5~\rm mm^2$, incl. receptacle tray

TOOL-ZIPCASE EMPTY - Toolbag, unequipped

1005050

https://www.phoenixcontact.com/us/products/1005050

Tool box, unequipped





1003673

https://www.phoenixcontact.com/us/products/1003673

CF CRIMPHANDY/CHARGER - Charger

1212519

https://www.phoenixcontact.com/us/products/1212519



Replacement charger, for 100 V \dots 240 V AC mains voltage, short charging time, short-circuit-proof, protected against polarity reversal, operating state indicator

CF CRIMPHANDY 0,5/SERVICE-TOOL - Assembly tool

1212787

https://www.phoenixcontact.com/us/products/1212787

Service tool, for CF-CRIMPHANDY 0,5, for rectifying malfunctions





1003673

https://www.phoenixcontact.com/us/products/1003673

Technical data

Product properties

	• •		
	Product type	Tool set	
	Set comprises	1212515 CF CRIMPHANDY 0,5/GP2	
Electrical properties			
	Frequency range	60 Hz	
	Power consumption	20 W	
Ş	Supply		
	Supply voltage range	7.4 V DC	
Connection data			
	Stripping length	10.8 mm	
	Conductor cross section flexible	0.5 mm² 0.5 mm²	
Dimensions			
	Width	43 mm	
	Height	70 mm	

Material specifications

Length

 atorial opcomoditorio	
Color	black

205 mm



1003673

https://www.phoenixcontact.com/us/products/1003673

Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	17130101		
	ECLASS-12.0	17130101		
	ECLASS-13.0	17130101		
ETIM				
	ETIM 9.0	EC002778		
UNSPSC				

27111500



1003673

https://www.phoenixcontact.com/us/products/1003673

Environmental product compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 25;
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com