

# CUTFOX-S VDE M - Diagonal cutter



1212830

<https://www.phoenixcontact.com/us/products/1212830>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Diagonal cutter, 130 mm, induction-hardened cutting, VDE 1000 V AC/ 1500 V DC tested



## Your advantages

- Inductively hardened blades for long-term stable cutting performance
- VDE-tested cutting tools made from special high-grade tool steel

## Commercial data

Item number	1212830
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH311S
Catalog page	Page 393 (C-3-2019)
GTIN	4055626045498
Weight per piece (including packing)	143 g
Weight per piece (excluding packing)	143 g
Customs tariff number	82032000
Country of origin	DE

# CUTFOX-S VDE M - Diagonal cutter



1212830

<https://www.phoenixcontact.com/us/products/1212830>

## Technical data

### Notes

#### Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

### Product properties

Product type

Cutting tools

Application

Aluminum

Copper

Piano wire

### Dimensions

Length

130 mm

### Material specifications

Color

multicolored

### Cable/line

External cable diameter

≤ 11.00 mm

0.2 mm ... 11 mm

### Standards and regulations

Tests

DIN EN 60900 (VDE 0682 PART 201)

DIN ISO 5746

# CUTFOX-S VDE M - Diagonal cutter



1212830

<https://www.phoenixcontact.com/us/products/1212830>

## Classifications

### ECLASS

ECLASS-11.0	21043711
ECLASS-12.0	21043711
ECLASS-13.0	21043711

### ETIM

ETIM 9.0	EC000165
----------	----------

### UNSPSC

UNSPSC 21.0	27111500
-------------	----------

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)