## **CUTFOX-SP BOLT VDE - Diagonal cutter**



1212831

https://www.phoenixcontact.com/us/products/1212831

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Power diagonal cutter, 200 mm, induction-hardened cutting, VDE 1000 V AC/ 1500 V DC tested

## Your advantages

- Inductively hardened blades for long-term stable cutting performance
- VDE-tested cutting tools made from special high-grade tool steel

#### Commercial data

| Item number                          | 1212831             |
|--------------------------------------|---------------------|
| Packing unit                         | 1 pc                |
| Minimum order quantity               | 1 pc                |
| Sales key                            | BH31                |
| Product key                          | BH311S              |
| Catalog page                         | Page 394 (C-3-2019) |
| GTIN                                 | 4055626045504       |
| Weight per piece (including packing) | 320.36 g            |
| Weight per piece (excluding packing) | 320.36 g            |
| Customs tariff number                | 82032000            |
| Country of origin                    | DE                  |

# CUTFOX-SP BOLT VDE - Diagonal cutter



1212831

https://www.phoenixcontact.com/us/products/1212831

## Technical data

#### Notes

| California Proposition 65 | Further information on California's prop. 65 is available under |  |  |
|---------------------------|---|--|--|
|                           | "Downloads" in the manufacturer's declaration                   |  |  |
|                           |   |  |  |
| oduct properties          |   |  |  |
| Product type              | Cutting tools   |  |  |
| Application               | Aluminum  |  |  |
|                           | Copper  |  |  |
|                           | Piano wire  |  |  |
| Туре                      | Mechanical one-hand   |  |  |
|                           |   |  |  |
| Dimensions                |   |  |  |
| Length                    | 200 mm  |  |  |
|                           |   |  |  |
| aterial specifications    |   |  |  |
| Color                     | multicolored  |  |  |
| bla llin a                |   |  |  |
| ble/line                  |   |  |  |
| External cable diameter   | ≤ 4.00 mm   |  |  |
|                           | 0.2 mm 4 mm   |  |  |
|                           |   |  |  |
| andards and regulations   |   |  |  |
| Tests                     | DIN EN 60900 (VDE 0682 PART 201)                                |  |  |
|                           | DIN ISO 5746  |  |  |

## CUTFOX-SP BOLT VDE - Diagonal cutter



1212831

https://www.phoenixcontact.com/us/products/1212831

### Classifications

#### **ECLASS**

|        | ECLASS-11.0 | 21043710 |  |  |
|--------|-------------|----------|--|--|
|        | ECLASS-12.0 | 21043710 |  |  |
|        | ECLASS-13.0 | 21043711 |  |  |
| ETIM   |             |          |  |  |
|        | ETIM 9.0    | EC000165 |  |  |
| UNSPSC |             |          |  |  |
|        | UNSPSC 21.0 | 27111500 |  |  |

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com