

CRIMPFOX 16R TWIN - Crimping pliers



1212845

<https://www.phoenixcontact.com/us/products/1212845>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Crimping pliers, for TWIN ferrules according to UL 486F, three marked die stations, unlockable pressure lock, lateral entry

Your advantages

- Ergonomically designed handles ensure an optimum grip and reduce the amount of force required by 25 %

Commercial data

Item number	1212845
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3131
Catalog page	Page 421 (C-3-2019)
GTIN	4055626406220
Weight per piece (including packing)	689.6 g
Weight per piece (excluding packing)	689.6 g
Customs tariff number	82032000
Country of origin	SE

CRIMPFOX 16R TWIN - Crimping pliers



1212845

<https://www.phoenixcontact.com/us/products/1212845>

Technical data

Notes

Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product properties

Product type	Crimping tool
Compression	WM crimp
Max. cross section	6 mm ²
Max. cross section	10 mm ²
Max. cross section	16 mm ²

Connection data

Conductor connection

Cross section range, metric

6 mm² ... 16 mm²

Dimensions

Width	25 mm
Height	68 mm
Length	256 mm

Material specifications

Color

black

Cable/line

External cable diameter

6 mm ... 8.5 mm

CRIMPFOX 16R TWIN - Crimping pliers



1212845

<https://www.phoenixcontact.com/us/products/1212845>

Classifications

ECLASS

ECLASS-11.0	21043811
ECLASS-12.0	21043811
ECLASS-13.0	21043811

ETIM

ETIM 9.0	EC000168
----------	----------

UNSPSC

UNSPSC 21.0	27111500
-------------	----------

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com