

## Protective covers - HC-STA-D15-BCSFS-PLR-BK - 1424374

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Protective cover D15, for single locking latch, protective cover material: PA, height: 19 mm



### Key Commercial Data

Packing unit	1 pc
GTIN	 4 055626 371146
GTIN	4055626371146
Weight per Piece (excluding packing)	20.000 g
Custom tariff number	85389099
Country of origin	China

### Technical data

#### Dimensions

Height	19 mm
Width	33 mm
Length	63.5 mm

#### Ambient conditions

Degree of protection (IP)	IP66
Ambient temperature (operation)	-20 °C ... 100 °C

#### General

Size	D15
Type	for supporting base element for single locking latch
Housing type	Protective cover

## Protective covers - HC-STA-D15-BCSFS-PLR-BK - 1424374

### Technical data

#### General

Color	black
Locking type	for single locking latch
Material	PA
Material, protective cover	PA
Flammability rating according to UL 94	V0
Assembly instructions	Double eyelet for mounting on a cable / below screw head
Connection	Plastic protective cover for short-term protection

#### Standards and Regulations


Flammability rating according to UL 94	V0
--	----

#### Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

### Drawings

Dimensional drawing



Dimensional drawing

### Classifications

#### eCl@ss

eCl@ss 10.0.1	27440208
eCl@ss 11.0	27440208
eCl@ss 5.1	27143424
eCl@ss 6.0	27261200
eCl@ss 7.0	27440208
eCl@ss 9.0	27440208



# Protective covers - HC-STA-D15-BCSFS-PLR-BK - 1424374

## Classifications

ETIM

ETIM 6.0	EC002314
ETIM 7.0	EC002314

## Approvals

Approvals

Approvals

DNV GL

Ex Approvals

## Approval details

DNV GL		<a href="https://approvalfinder.dnvgl.com/">https://approvalfinder.dnvgl.com/</a>	TAE000037S
--------	---	---	------------