

# Functional ground contact - UM-BASIC/PRO PE CONTACT L1 - 2202025

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




PE contact for UM-BASIC panel mounting base for connecting the PCB to the DIN rail at level 1

## Your advantages

- ✓ Different base profiles, each with three PCB levels
- ✓ Module covers of different geometries can be positioned in any way
- ✓ Compatibility with many standard connection technologies
- ✓ Easy device mounting thanks to snap-mount principle (the sides are fixed without the aid of tools)
- ✓ High degree of flexibility, thanks to freely positionable covering hoods



## Key Commercial Data

Packing unit	1 pc
Minimum order quantity	20 pc
GTIN	 4 055626 005362
GTIN	4055626005362
Weight per Piece (excluding packing)	0.500 g
Custom tariff number	73269098
Country of origin	Germany

## Technical data

### Product properties

Brief article description	Functional ground contact
Type	UM-BASIC/PRO PE CONTACT L1
Order No.	2202025
Housing type	Press-drawn section housings

# Functional ground contact - UM-BASIC/PRO PE CONTACT L1 - 2202025

## Technical data

### Product properties

Type	top PCB level
Mounting type	Screw mounting

### Dimensions

Width [ w ]	6 mm
Height [ h ]	34.3 mm
Depth [ d ]	20.8 mm

### Material specifications

Material	Steel
Color	silver

### General information

Type of note	Assembly instruction:
Note	Refer to the data sheet for the range in the download area.

### Packaging specifications

Pieces per package	20
Denomination packing units	Pcs.

### Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Classifications

### eCl@ss

eCl@ss 10.0.1	27182701
eCl@ss 11.0	27182701
eCl@ss 5.0	27180500
eCl@ss 5.1	27180500
eCl@ss 6.0	27400500
eCl@ss 7.0	27182701
eCl@ss 9.0	27182701

### ETIM

ETIM 6.0	EC002779
ETIM 7.0	EC002779

# Functional ground contact - UM-BASIC/PRO PE CONTACT L1 - 2202025

## Classifications

### UNSPSC

UNSPSC 13.2	31261501
UNSPSC 18.0	31261501
UNSPSC 19.0	31261501
UNSPSC 20.0	31261501
UNSPSC 21.0	31261501

## Approvals

### Approvals

---

#### Approvals

EAC

---

#### Ex Approvals

---

### Approval details

EAC		B.01742
-----	---	---------

---