

FUSE/TE5/160MA/F-10PCS - Fuse set



2907188

<https://www.phoenixcontact.com/us/products/2907188>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in fuse (TE5[®]); nominal current: 160 mA; tripping behavior: fast-blow (F)

Commercial data

Item number	2907188
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	C421
Product key	CK21Z1
GTIN	4055626297477
Weight per piece (including packing)	4.4 g
Weight per piece (excluding packing)	4.4 g
Customs tariff number	85361010
Country of origin	CN

FUSE/TE5/160MA/F-10PCS - Fuse set



2907188

<https://www.phoenixcontact.com/us/products/2907188>

Technical data

Notes

General	For proper use, the specifications of the installation directive (see Downloads) must be observed. For applications or use with third-party products, the specifications, and the safety and warning instructions of the respective third-party manufacturer must also be met.
---------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Product properties

Product type	Fuse
Number of fuses in the set	10

Electrical properties

Tripping characteristic	fast-blow (F)
Rated voltage	250 V
Maximum power dissipation for nominal condition	0.15 W
Nominal current I_N	160 mA
Fuse	TE5

FUSE/TE5/160MA/F-10PCS - Fuse set



2907188

<https://www.phoenixcontact.com/us/products/2907188>

Classifications

ECLASS

ECLASS-12.0	27142008
ECLASS-11.0	27142008
ECLASS-13.0	27142008

ETIM

ETIM 9.0	EC002298
----------	----------

UNSPSC

UNSPSC 21.0	39121600
-------------	----------

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com