

# UKH 50 EP-VPE500 - Insertion profile



3009230

<https://www.phoenixcontact.com/us/products/3009230>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Insertion profile, color: silver



## Commercial data

Item number	3009230
Packing unit	500 pc
Minimum order quantity	500 pc
Product key	BE1ZWX
GTIN	4055626192895
Weight per piece (including packing)	4.93 g
Weight per piece (excluding packing)	4.93 g
Country of origin	CN

3009230

<https://www.phoenixcontact.com/us/products/3009230>

## Technical data

### Product properties

Product type	Mounting material
--------------	-------------------

### Material specifications

Color	silver
Material	Metal

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-60 °C ... 105 °C (max. short-term operating temperature RTI Elec.)
Ambient temperature (storage/transport)	-25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

# UKH 50 EP-VPE500 - Insertion profile



3009230

<https://www.phoenixcontact.com/us/products/3009230>

## Classifications

### ECLASS

ECLASS-11.0	27141190
ECLASS-12.0	27141190
ECLASS-13.0	27141190

### ETIM

ETIM 9.0	EC002848
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# UKH 50 EP-VPE500 - Insertion profile



3009230

<https://www.phoenixcontact.com/us/products/3009230>

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	-----------------------------------------------------------------------------------------------------------

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)