CAB-MSTB32/2XMC9/22/32,0M/C3/S - Interface cable



1013241

https://www.phoenixcontact.com/us/products/1013241

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

VIP 16-channel cable for use with Honeywell C300 universal I/O, 22 AWG, 32.0 m long



Your advantages

- Splitter cable for connecting two 8-channel VIP base modules to a Honeywell[®] 16-channel IOTA board assembly
- #22 AWG halogen-free cable
- · Locking flanges for securing cables to the modules and IOTA

Commercial data

Item number	1013241
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	NULL
Product key	CK8911
GTIN	4055626523866
Weight per piece (including packing)	1.05 g
Weight per piece (excluding packing)	1 g
Customs tariff number	85444290
Country of origin	MX

CAB-MSTB32/2XMC9/22/32,0M/C3/S - Interface cable



1013241

https://www.phoenixcontact.com/us/products/1013241

Technical data

Product properties

Product type	System cable
Product family	VIP I/O-Marshalling

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C 90 °C (static)
Ambient temperature (storage/transport)	-40 °C 90 °C

Electrical properties

Operating voltage (AC/DC)	≤ 30 V AC/DC
Current (Per path)	≤ 2 A

Cable/line

Cable length	32 m
Number of positions	16
Shielded	yes
Conductor type	Assembled shielded round cable
Conductor structure signal line	7x
AWG signal line	22
Conductor cross section	16x 0.36 mm²
External cable diameter	8.50 mm
Conductor material	Tin-plated Cu litz wires
Halogen-free	yes
Flame resistance	IEC 60332-1

Connection data

Field level

Connection method	pluggable
Number of connections	2
Number of positions	18
Pitch	3.81 mm

Controller level

Connection method	pluggable
Number of connections	1
Number of positions	32
Pitch	5.08 mm

CAB-MSTB32/2XMC9/22/32,0M/C3/S - Interface cable



1013241

https://www.phoenixcontact.com/us/products/1013241

Classifications

ECLASS

	ECLASS-11.0	27242220	
	ECLASS-12.0	27242220	
	ECLASS-13.0	27242220	
ETIM			
	ETIM 9.0	EC000237	
UNSPSC			
	UNSPSC 21.0	26121600	

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com