

# EM-CPS-DA-45C/16A - Adapter



1002666  
<https://www.phoenixcontact.com/us/products/1002666>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Comfort device adapter with CrossLink<sup>®</sup> interface and moveable DIN rail, rated current: 16 A

## Your advantages

- Cable ends ultrasound-compressed
- Snap-on mechanism for quick and easy attachment to the CrossPowerSystem power distribution board

## Commercial data

Item number	1002666
Packing unit	4 pc
Minimum order quantity	4 pc
Sales key	C470
Product key	CK7851
Catalog page	Page 53 (C-5-2019)
GTIN	4055626468129
Weight per piece (including packing)	124.175 g
Weight per piece (excluding packing)	120.825 g
Customs tariff number	85369095
Country of origin	DE

# EM-CPS-DA-45C/16A - Adapter



1002666

<https://www.phoenixcontact.com/us/products/1002666>

## Technical data

### Product properties

Product type	Adapter
Product family	CrossPowerSystem
Application	Device adapter

### Electrical properties

Rated voltage	690 V AC (IEC)
	600 V AC (UL)
Rated current	16 A (IEC)
	12 A (UL)
Rated surge voltage	6 kV

### Dimensions

Width	45 mm
Height	160 mm
Depth	45 mm

# EM-CPS-DA-45C/16A - Adapter



1002666

<https://www.phoenixcontact.com/us/products/1002666>

## Classifications

### ECLASS

ECLASS-11.0	27371392
ECLASS-12.0	27371392
ECLASS-13.0	27371392

### ETIM

ETIM 9.0	EC002498
----------	----------

### UNSPSC

UNSPSC 21.0	39121100
-------------	----------

# EM-CPS-DA-45C/16A - Adapter



1002666

<https://www.phoenixcontact.com/us/products/1002666>

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)