

# EM-CPS-DA-45S/32A - Adapter



1003292

<https://www.phoenixcontact.com/us/products/1003292>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Standard device adapter with CrossLink<sup>®</sup> interface and fixed DIN rail, rated current: 32 A

## Your advantages

- Cable ends ultrasound-compressed
- Snap-on mechanism for quick and easy attachment to the CrossPowerSystem power distribution board

## Commercial data

|                                      |                    |
|--------------------------------------|--------------------|
| Item number                          | 1003292            |
| Packing unit                         | 4 pc               |
| Minimum order quantity               | 4 pc               |
| Sales key                            | C470               |
| Product key                          | CK7842             |
| Catalog page                         | Page 53 (C-5-2019) |
| GTIN                                 | 4055626471327      |
| Weight per piece (including packing) | 125.45 g           |
| Weight per piece (excluding packing) | 125.45 g           |
| Customs tariff number                | 85369095           |
| Country of origin                    | DE                 |

# EM-CPS-DA-45S/32A - Adapter



1003292

<https://www.phoenixcontact.com/us/products/1003292>

## Technical data

### Product properties

|                |                  |
|----------------|------------------|
| Product type   | Adapter          |
| Product family | CrossPowerSystem |
| Application    | Device adapter   |

### Electrical properties

|                     |                |
|---------------------|----------------|
| Rated voltage       | 690 V AC (IEC) |
|                     | 600 V AC (UL)  |
| Rated current       | 32 A (IEC)     |
|                     | 30 A (UL)      |
| Rated surge voltage | 6 kV           |

### Dimensions

|        |        |
|--------|--------|
| Width  | 45 mm  |
| Height | 160 mm |
| Depth  | 45 mm  |

# EM-CPS-DA-45S/32A - Adapter



1003292

<https://www.phoenixcontact.com/us/products/1003292>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27371392 |
| ECLASS-12.0 | 27371392 |
| ECLASS-13.0 | 27371392 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC002498 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121100 |
|-------------|----------|

# EM-CPS-DA-45S/32A - Adapter



1003292

<https://www.phoenixcontact.com/us/products/1003292>

## Environmental product compliance

|            |   |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e<br>No hazardous substances above threshold values |
|------------|---|

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)