#### 1065832

https://www.phoenixcontact.com/us/products/1065832

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

CHARX connect modular, Holder, Accessories, for mounting the 4-pole locking actuator on infrastructure charging sockets, Type 2, GB/T, IEC 61851-1



### Product description

Locking actuator brackets for infrastructure socket outlets

#### Commercial data

Item number	1065832
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	XWBAFC
GTIN	4055626730431
Weight per piece (including packing)	15.4 g
Weight per piece (excluding packing)	15.4 g
Country of origin	DE





https://www.phoenixcontact.com/us/products/1065832

## **DPHŒNIX** CONTACT

### Technical data

#### Product properties

Product type	Locking actuator
Product family	CHARX connect modular
Application	for mounting the 4-pole locking actuator on infrastructure charging sockets
Туре	Accessories
Compatibility	CHARX connect basic
Charging standard	Туре 2
	GB/T
Charging mode	Mode 2, 3, 4

#### Material specifications

Color (Locking)

#### Environmental and real-life conditions

Ambient conditions		
Ambient temperature (operation)	-30 °C 50 °C	
Ambient temperature (storage/transport)	-40 °C 80 °C	
Altitude	5000 m (above sea level)	

black (9005)

#### Standards and regulations

Standards/regulations	IEC 61851-1



https://www.phoenixcontact.com/us/products/1065832



## Classifications

#### ECLASS

ECLASS-11.0	27144792
ECLASS-12.0	27144792
ECLASS-13.0	27144792

#### ETIM

	ETIM 9.0	EC002884
UN	UNSPSC	
	UNSPSC 21.0	39121500

1065832

https://www.phoenixcontact.com/us/products/1065832



### Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com