

https://www.phoenixcontact.com/us/products/1200296



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Charger, for 100 ... 240 V mains voltage, recognition of battery and parameter check, rapid charging, short-circuit resistant, polarized, operating mode display



## Your advantages

- 3.6 V
- 100 V ... 240 V
- · Diagnostic and status indicators
- · Easy operation
- 50 Hz ... 60 Hz
- · Rapid battery charging
- · Reverse polarity protected

#### Commercial data

Item number	1200296
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH32
Product key	BH324Y
Catalog page	Page 454 (C-3-2019)
GTIN	4055626666440
Weight per piece (including packing)	594 g
Weight per piece (excluding packing)	482.9 g
Customs tariff number	85044060
Country of origin	TW



https://www.phoenixcontact.com/us/products/1200296



## Technical data

### Product properties

Product type	Charger
Type of packaging	packed in cardboard

### Electrical properties

Frequency range 50 Hz 60 Hz	
Power consumption 15 W	
Nominal voltage U <sub>N</sub> 100 V AC 240 V AC	

#### Supply

Supply voltage range	100 V AC 240 V AC
----------------------	-------------------

#### Battery

24.0.7	
Battery charging	60.00 min.
Battery-operated voltage	3.60 V DC
Battery capacity	2.00 Ah

#### **Dimensions**

Width	108 mm
Height	55 mm
Length	143 mm

### Material specifications

Color	black
-------	-------

#### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP30
Ambient temperature (operation)	5 °C 40 °C
Ambient temperature (storage/transport)	-25 °C 50 °C
Permissible humidity (operation)	95 %
Permissible humidity (storage/transport)	95 %



1200296

https://www.phoenixcontact.com/us/products/1200296

# Classifications

UNSPSC 21.0

#### **ECLASS**

ECLASS-11.0	21052901
ECLASS-12.0	21052901
ECLASS-13.0	21052901
ETIM	
ETIM 9.0	EC001184
UNSPSC	

26111700



https://www.phoenixcontact.com/us/products/1200296



## Environmental product compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 5
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com