

Battery module - SF-ASD 16/ACCU 1,5 AH - 1200297

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Replacement battery, 1.5 Ah, lithium-ion, 3.6 V, for SF-ASD 16 cordless screwdriver

Your advantages

- reverse polarity protected
- 3.6 V
- 1.5 Ah

Key Commercial Data

Packing unit	1 pc
GTIN	 4 055626 666457
GTIN	4055626666457
Weight per Piece (excluding packing)	100.000 g
Custom tariff number	85076000
Country of origin	Taiwan

Technical data

Dimensions

Length (b)	82 mm
------------	-------

Ambient conditions

Ambient temperature (operation)	5 °C ... 40 °C
---------------------------------	----------------

General

Note	packed in cardboard
Power consumption	5.4 W
Battery-operated voltage	3.6 V
Battery charging	60 min.

Environmental Product Compliance

Battery module - SF-ASD 16/ACCU 1,5 AH - 1200297


Technical data

Environmental Product Compliance


REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 5
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Drawings

Schematic diagram



Schematic diagram



Classifications

eCl@ss

eCl@ss 10.0.1	21059207
eCl@ss 11.0	21052902
eCl@ss 7.0	21059207
eCl@ss 9.0	21059207

ETIM

ETIM 6.0	EC001199
ETIM 7.0	EC001199

Approvals

Approvals

Approvals


EAC

Ex Approvals

Battery module - SF-ASD 16/ACCU 1,5 AH - 1200297

Approvals

Approval details

EAC		RU C- DE.AI30.B.01750
-----	---	--------------------------
