

Patch cable - NBC-R4AC/0,5-93K/R4AC - 1422683

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Patch cable, degree of protection: IP20, cable length: 0.5 m, number of positions: 4, Sercos

Sercos III patch cable



Key Commercial Data

| | |
|----------------------|---|
| Packing unit | 1 pc |
| GTIN |  4 055626 311524 |
| GTIN | 4055626311524 |
| Custom tariff number | 85444210 |
| Country of origin | Poland |

Technical data

Dimensions

| | |
|-----------------|--------|
| Length of cable | 0.50 m |
|-----------------|--------|

General data

| | |
|-----------------------|-----------|
| Number of positions | 4 |
| Overvoltage category | I |
| Degree of pollution | 1 |
| Locking type | Push Pull |
| Rated voltage (III/3) | 72 V (DC) |

Characteristics head 1

| | |
|----------------------|----------------|
| Color | black |
| Material (component) | CuSn (Contact) |

Patch cable - NBC-R4AC/0,5-93K/R4AC - 1422683

Technical data

Characteristics head 1

| | |
|-----------------------------|-------------------------|
| | Ni/Au (Contact surface) |
| | PA (Contact carriers) |
| | PA (Housing) |
| Insertion/withdrawal cycles | ≥ 750 |

Standards and Regulations


| | |
|--|----|
| Flammability rating according to UL 94 | V0 |
|--|----|

Environmental Product Compliance


| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

Drawings

Cable cross section




Circuit diagram



Sercos III [93K]

Dimensional drawing



RJ45 connector, IP20

Classifications

eCl@ss

| | |
|---------------|----------|
| eCl@ss 10.0.1 | 27061801 |
| eCl@ss 11.0 | 27061801 |

Patch cable - NBC-R4AC/0,5-93K/R4AC - 1422683

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 24010400 |
| eCl@ss 4.1 | 24010400 |
| eCl@ss 5.0 | 19030300 |
| eCl@ss 5.1 | 19030300 |
| eCl@ss 6.0 | 27061800 |
| eCl@ss 7.0 | 27061801 |
| eCl@ss 9.0 | 27061801 |

ETIM

| | |
|----------|----------|
| ETIM 6.0 | EC000830 |
| ETIM 7.0 | EC003249 |

UNSPSC

| | |
|-------------|----------|
| UNSPSC 13.2 | 26121604 |
| UNSPSC 18.0 | 26121604 |
| UNSPSC 19.0 | 26121604 |
| UNSPSC 20.0 | 26121604 |
| UNSPSC 21.0 | 26121604 |

Approvals

Approvals


Approvals

EAC-RoHS / EAC

Ex Approvals

Approval details

| | | |
|----------|---|------------|
| EAC-RoHS |  | B.00385/20 |
|----------|---|------------|

| | | |
|-----|---|----------|
| EAC |  | 19060508 |
|-----|---|----------|

