


## Patch cable - NBC-R4AC/2,0-93M/R4ACR - 1420381

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



PROFINET patch cable, shielded, star-quad, 22 AWG stranded (7-wire), green, straight RJ45 male connector/ IP20 to angled RJ45 male connector/IP20, length: 1.0 m

PROFINET patch cable



### Key Commercial Data

Packing unit	1
GTIN	
GTIN	4055626206486
Custom tariff number	85444210

### Technical data

#### Dimensions

Length of cable	2.00 m
-----------------	--------

#### Ambient conditions

Ambient temperature (operation)	-25 °C ... 80 °C (RJ45 connector)
---------------------------------	-----------------------------------

#### General data

Rated current at 40°C	1 A
Rated voltage	48 V
Number of positions	4
Overvoltage category	I
Degree of pollution	1
Rated voltage (III/3)	72 V (DC)
Contact material	CuSn

# Patch cable - NBC-R4AC/2,0-93M/R4ACR - 1420381

## Technical data

### General data

Contact surface material	Ni/Au
Housing material	PA 6.6
Rated current	1.75 A
Transmission characteristics (category)	CAT5

### Characteristics head 1

Color	black
Material (component)	CuSn (Contact)
	Ni/Au (Contact surface)
	PA (Contact carriers)
	PA (Housing)

### Characteristics head 2

Color	black
Material (component)	CuSn (Contact)
	Ni/Au (Contact surface)
	PA (Contact carriers)
	PA (Housing)

### Standards and Regulations


Flammability rating according to UL 94	V2
--	----

### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Drawings

Schematic diagram



Connector pin assignment plug RJ45


Cable cross section




PROFINET stranded CAT5 [93M]

# Patch cable - NBC-R4AC/2,0-93M/R4ACR - 1420381

Circuit diagram




Dimensional drawing



RJ45 connector, IP20

Dimensional drawing



RJ45 connector, IP20, angled

## Classifications

eCl@ss

eCl@ss 10.0.1	27060308
eCl@ss 11.0	27060308
eCl@ss 7.0	27060308
eCl@ss 9.0	27060308

ETIM

ETIM 6.0	EC001262
ETIM 7.0	EC001262

UNSPSC

UNSPSC 13.2	26121604
UNSPSC 18.0	26121604
UNSPSC 19.0	26121604
UNSPSC 20.0	26121604
UNSPSC 21.0	26121604

## Patch cable - NBC-R4AC/2,0-93M/R4ACR - 1420381

### Approvals

#### Approvals

---

#### Approvals


EAC-RoHS / EAC

---

#### Ex Approvals

---

### Approval details

EAC-RoHS		B.00385/20
----------	---	------------

EAC		19060508
-----	--	----------

---