

# KP HCS T-MIN K21 C3 P14 - Membrane keypad



2203569

<https://www.phoenixcontact.com/us/products/2203569>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Membrane keypad, self-adhesive, silver conduction technology, 21 keys, embossed, 3 colors, connecting cable: 59 mm, with crimp female connector, pitch: 2.54 mm, operating temperature: - 20°C ... 70°C

## Your advantages

- Easy integration into HCS series electronics housings
- Membrane keypads in various sizes and colors for customized device designs
- Customization of membrane keypad via configurator

## Commercial data

Item number	2203569
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AC02
Product key	ACFABF
GTIN	4055626474021
Weight per piece (including packing)	19.4 g
Weight per piece (excluding packing)	19.4 g
Customs tariff number	85365011
Country of origin	DE

# KP HCS T-MIN K21 C3 P14 - Membrane keypad



2203569

<https://www.phoenixcontact.com/us/products/2203569>

## Technical data

### Product properties

Product type	Membrane keypad
Housing series	HCS
Product family	HCS
Number of positions	14
Pitch	2.54 mm
Housing type	Handheld housing
Technology	Conductive silver/graphite (T6/4 Cu/Ag)
Embossing	Dome embossing 11 x 11 mm
Number of socket pins	14
Number of keys	21 (3 x 7)

### Dimensions

Length	59 mm (Membrane cable)
Pitch	2.54 mm
Dimensions	78 mm x 173 mm
	58 mm x 31 mm (LCD cutout)

### Material specifications

Housing material	Polyester
------------------	-----------

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-20 °C ... 70 °C
Ambient temperature (storage/transport)	-40 °C ... 80 °C

### Mounting

Mounting type	adhesive
---------------	----------

# KP HCS T-MIN K21 C3 P14 - Membrane keypad



2203569

<https://www.phoenixcontact.com/us/products/2203569>

## Classifications

### ECLASS

ECLASS-11.0	27182702
ECLASS-13.0	27190605

### ETIM

ETIM 9.0	EC001031
----------	----------

### UNSPSC

UNSPSC 21.0	31261500
-------------	----------

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)