

# HCS-C MEDIUM L W-GLUE - Adhesive



2203744

<https://www.phoenixcontact.com/us/products/2203744>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Transfer adhesive for display window



## Your advantages

- Suitable for handheld devices
- Easy integration of LCD displays and membrane keypads
- Ergonomic straight or staggered housing design
- Fast mounting, thanks to the modular design

## Commercial data

Item number	2203744
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	ACFACZ
GTIN	4055626485508
Weight per piece (including packing)	4.2 g
Weight per piece (excluding packing)	4.2 g
Country of origin	DE

# HCS-C MEDIUM L W-GLUE - Adhesive



2203744

<https://www.phoenixcontact.com/us/products/2203744>

## Technical data

### Product properties

Product type	Mounting material
Housing series	HCS
Housing type	Handheld housing

### Dimensions

Width	71.7 mm
Depth	0.2 mm
Length	44.7 mm

### Environmental and real-life conditions

#### Glow-wire test

Specification	IEC 60695-2-11:2014-02
Temperature	850 °C
Time of exposure	30 s

#### Thermal stability / ball thrust test

Specification	IEC 60695-10-2:2014-02
Temperature	80 °C
Test duration	1 h
Force	20

# HCS-C MEDIUM L W-GLUE - Adhesive



2203744

<https://www.phoenixcontact.com/us/products/2203744>

## Classifications

### ECLASS

ECLASS-11.0	27182702
ECLASS-13.0	27190605

### ETIM

ETIM 9.0	EC001031
----------	----------

### UNSPSC

UNSPSC 21.0	31261500
-------------	----------

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)