# CAB-MSTB32/2XMC9/22/35,0M/C3/S - Interface cable



2909901

https://www.phoenixcontact.com/us/products/2909901

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

VIP 16-channel cable for use with Honeywell C300 universal I/O, 22 AWG, 35.0 m long



## Your advantages

- Splitter cable for connecting two 8-channel VIP base modules to a Honeywell<sup>®</sup> 16-channel IOTA board assembly
- #22 AWG halogen-free cable
- · Locking flanges for securing cables to the modules and IOTA

### Commercial data

Item number	2909901
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	C480
Product key	CK8911
GTIN	4055626541952
Weight per piece (including packing)	44.5 g
Weight per piece (excluding packing)	27.58 g
Customs tariff number	85444290
Country of origin	MX



2909901

https://www.phoenixcontact.com/us/products/2909901

## Technical data

#### **Product properties**

Product type	System cable
Product family	VIP I/O-Marshalling

#### Environmental and real-life conditions

Ambient conditions		
Ambient temperature (operation)	-40 °C 90 °C (static)	
Ambient temperature (storage/transport)	-40 °C 90 °C	

#### Electrical properties

Operating voltage (AC/DC)	≤ 30 V AC/DC
Current (Per path)	≤ 2 A

#### Cable/line

Cable length	35 m
Number of positions	16
Shielded	yes
Conductor type	Assembled shielded round cable
Conductor structure signal line	7x
AWG signal line	22
Conductor cross section	16x 0.36 mm <sup>2</sup>
External cable diameter	8.50 mm
Conductor material	Tin-plated Cu litz wires
Halogen-free	yes
Flame resistance	IEC 60332-1

#### Connection data

Field level	
-------------	--

Pitch

Connection method	pluggable	
Number of connections	2	
Number of positions	18	
Pitch	3.81 mm	
Controller level		
Controller level		
Controller level Connection method	pluggable	
	pluggable 1	

5.08 mm



2909901

https://www.phoenixcontact.com/us/products/2909901

# Classifications

#### ECLASS

ECLASS-11.0	27242220
ECLASS-12.0	27242220
ECLASS-13.0	27242220

#### ETIM

	ETIM 9.0	EC000237	
UN	UNSPSC		
	UNSPSC 21.0	26121600	

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com