

FBP-3/17 TR - Cover profile

3069997

<https://www.phoenixcontact.com/us/products/3069997>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cover profile, can optionally be sealed, depth: 32 mm, width: 74.1 mm, height: 171.2 mm, color: transparent

Commercial data

| | |
|--------------------------------------|---------------|
| Item number | 3069997 |
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales key | BE06 |
| Product key | BE6113 |
| GTIN | 4055626398846 |
| Weight per piece (including packing) | 99.99 g |
| Weight per piece (excluding packing) | 99.99 g |
| Customs tariff number | 39162000 |
| Country of origin | PL |

Technical data

Product properties

| | |
|--------------|---------------|
| Product type | Cover profile |
|--------------|---------------|

Insulation characteristics

| | |
|----------------------|-----|
| Overvoltage category | III |
|----------------------|-----|

Dimensions

| | |
|--------|----------|
| Width | 74.1 mm |
| Height | 171.2 mm |
| Depth | 32 mm |

Material specifications

| | |
|--|-------------|
| Color | transparent |
| Flammability rating according to UL 94 | V0 |
| Insulating material group | I |
| Insulating material | PVC |

Environmental and real-life conditions

Ambient conditions

| | |
|--|---|
| Ambient temperature (operation) | -60 °C ... 105 °C (max. short-term operating temperature RTI Elec.) |
| Ambient temperature (storage/transport) | -25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C) |
| Ambient temperature (assembly) | -5 °C ... 70 °C |
| Ambient temperature (actuation) | -5 °C ... 70 °C |
| Permissible humidity (storage/transport) | 30 % ... 70 % |

FBP-3/17 TR - Cover profile



3069997

<https://www.phoenixcontact.com/us/products/3069997>

Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-11.0 | 27141190 |
| ECLASS-13.0 | 27141190 |
| ECLASS-12.0 | 27141190 |

ETIM

| | |
|----------|----------|
| ETIM 9.0 | EC002848 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

FBP-3/17 TR - Cover profile



3069997

<https://www.phoenixcontact.com/us/products/3069997>

Environmental product compliance

| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values |
|------------|---|

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com