

DS-PT 2,5-QUATTRO-MT - Cover segment



1043964

<https://www.phoenixcontact.com/us/products/1043964>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Cover segments, large segment: 28.7 x 12.6 x 2.8, small segment: 22.7 x 12.9 x 2.8, color: gray



Commercial data

| | |
|--------------------------------------|---------------|
| Item number | 1043964 |
| Packing unit | 10 pc |
| Minimum order quantity | 10 pc |
| Product key | BE224Z |
| GTIN | 4055626616957 |
| Weight per piece (including packing) | 0.82 g |
| Weight per piece (excluding packing) | 0.78 g |
| Country of origin | PL |

DS-PT 2,5-QUATTRO-MT - Cover segment



1043964

<https://www.phoenixcontact.com/us/products/1043964>

Technical data

Product properties

| | |
|--------------|-----------|
| Product type | End cover |
|--------------|-----------|

Environmental and real-life conditions

Ambient conditions

| | |
|--|---|
| Ambient temperature (operation) | -60 °C ... 105 °C (max. short-term operating temperature RTI Elec.) |
| Ambient temperature (storage/transport) | -25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C) |
| Ambient temperature (assembly) | -5 °C ... 70 °C |
| Ambient temperature (actuation) | -5 °C ... 70 °C |
| Permissible humidity (storage/transport) | 30 % ... 70 % |

Material specifications

| | |
|--|------|
| Color | gray |
| Material | PA |
| Flammability rating according to UL 94 | V0 |

Dimensions

| | |
|-----------------|---------|
| Width | 2.8 mm |
| End cover width | 2.8 mm |
| Height | 56.4 mm |
| Depth | 12.9 mm |

Notes

| | |
|---------|---|
| General | A cover segment should be used if terminal blocks with a higher number of terminal points cannot be covered by the contour of another terminal block. |
|---------|---|

DS-PT 2,5-QUATTRO-MT - Cover segment



1043964

<https://www.phoenixcontact.com/us/products/1043964>

Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-11.0 | 27141133 |
| ECLASS-12.0 | 27141133 |
| ECLASS-13.0 | 27250301 |

ETIM

| | |
|----------|----------|
| ETIM 9.0 | EC000886 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

DS-PT 2,5-QUATTRO-MT - Cover segment



1043964

<https://www.phoenixcontact.com/us/products/1043964>

Environmental product compliance

| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values |
|------------|---|

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com