HS WM-S 75 DCS - Holder



https://www.phoenixcontact.com/us/products/1082304



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



75 mm wall bracket, pivotable, with four 6.5 mm mounting holes and mounting diameter of 30 mm for housing attachment, black glass-fiber reinforced polycarbonate PC, and aluminum, 306 g

Your advantages

- · Secure mounting of small and large monitors and operator interfaces, thanks to the high load-bearing capacity
- · Can be swiveled and tilted in three axes for optimum alignment with the field of view
- · VESA interface in standard VESA 75 and VESA 100 for easy wall or aluminum profile mounting
- · Item belongs to the DCS product range

Commercial data

Item number	1082304
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AC02
Product key	ACFBAZ
GTIN	4055626812649
Weight per piece (including packing)	335.5 g
Weight per piece (excluding packing)	335.5 g
Customs tariff number	39269097
Country of origin	DE

HS WM-S 75 DCS - Holder



https://www.phoenixcontact.com/us/products/1082304



Technical data

Product properties

Product type	Mounting material
Product family	DCS
Туре	Plate 75 mm, 4 x hole (6.5 mm diameter)
Housing type	Wall bracket

HS WM-S 75 DCS - Holder



https://www.phoenixcontact.com/us/products/1082304



Classifications

ECLASS

	ECLASS-11.0	27182702		
	ECLASS-13.0	27190605		
ETIM				
	ETIM 9.0	EC001031		
UNSPSC				
	UNSPSC 21.0	31261500		

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com