# ANT-OMNI-VAN-868-01 - Antenna

#### 1090616

https://www.phoenixcontact.com/us/products/1090616

**PHŒNIX** CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Omnidirectional antenna with protection against vandalism for control cabinet mounting, frequency band: 868 MHz, gain: 2.5 dBi, degree of protection: IP67, shockproof: IK08, connection: N (female)



## Your advantages

- · Ideally suited for freely mobile or stationary 868 MHz applications
- Impact-resistant housing (IK08)

### Commercial data

Item number	1090616
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	NULL
Product key	DNC6A2
Catalog page	Page 390 (C-6-2019)
GTIN	4055626901220
Weight per piece (including packing)	160 g
Weight per piece (excluding packing)	160 g
Customs tariff number	85177100
Country of origin	TW

# ANT-OMNI-VAN-868-01 - Antenna



https://www.phoenixcontact.com/us/products/1090616



# Technical data

#### **Product properties**

Product type	Antenna
Radiation characteristics	Omnidirectional
Gain	2.5 dBi
Vertical beamwidth	55 °
Horizontal beamwidth	360 °
Polarization	Linear vertical

#### Electrical properties

Frequency band	868 MHz
Frequency range	868 MHz 870 MHz
Impedance	50 Ω
Maximum capacity	1.00 W

### Connection data

Connection technology	
Connection method	N (female)

#### Dimensions

Dimensional drawing	
Height	40 mm
Diameter	80 mm

#### Material specifications


Material Radom	Polycarbonate PC	
Cable/line		

Connecting cable	No

#### Environmental and real-life conditions

Ambient conditions	
Degree of protection	IP67
Ambient temperature (operation)	-40 °C 85 °C
Ambient temperature (storage/transport)	-40 °C 85 °C

#### Mounting




#### 1090616

https://www.phoenixcontact.com/us/products/1090616



 Wall mounting

 Assembly instructions
 Outdoors and indoors



1090616

https://www.phoenixcontact.com/us/products/1090616




# Classifications

#### ECLASS

ECLASS-11.0	19070105
ECLASS-12.0	19070105
ECLASS-13.0	19070105

#### ETIM

	ETIM 9.0	EC001698	
UN	UNSPSC		
	UNSPSC 21.0	43223100	



1090616

https://www.phoenixcontact.com/us/products/1090616



# Environmental product compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com