

HCS-C MAXI WIN 2,0 FR128X64 - Washer/ring



2203591

<https://www.phoenixcontact.com/us/products/2203591>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Acrylic glass, satin-finished, frame printed black, for display 128x64



Your advantages

- Suitable for handheld devices
- Easy integration of LCD displays and membrane keypads
- Ergonomic straight or staggered housing design
- Fast mounting, thanks to the modular design

Commercial data

| | |
|--------------------------------------|---------------|
| Item number | 2203591 |
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Product key | ACFABZ |
| GTIN | 4055626485331 |
| Weight per piece (including packing) | 11 g |
| Weight per piece (excluding packing) | 11 g |
| Country of origin | DE |

HCS-C MAXI WIN 2,0 FR128X64 - Washer/ring



2203591

<https://www.phoenixcontact.com/us/products/2203591>

Technical data

Product properties

| | |
|----------------|-------------------|
| Product type | Mounting material |
| Housing series | HCS |
| Housing type | Handheld housing |

Dimensions

| | |
|------------|-------------------|
| Width | 72.9 mm |
| Depth | 2 mm |
| Dimensions | 60.9 mm x 31.9 mm |

Material specifications

| | |
|-------------------------|-------------|
| Color (Housing) | transparent |
| Surface characteristics | untreated |
| Housing material | PMMA |

Environmental and real-life conditions

Glow-wire test

| | |
|------------------|------------------------|
| Specification | IEC 60695-2-11:2014-02 |
| Temperature | 850 °C |
| Time of exposure | 30 s |

Thermal stability / ball thrust test

| | |
|---------------|------------------------|
| Specification | IEC 60695-10-2:2014-02 |
| Temperature | 80 °C |
| Test duration | 1 h |
| Force | 20 |

HCS-C MAXI WIN 2,0 FR128X64 - Washer/ring



2203591

<https://www.phoenixcontact.com/us/products/2203591>

Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-11.0 | 27182702 |
| ECLASS-13.0 | 27190605 |

ETIM

| | |
|----------|----------|
| ETIM 9.0 | EC001031 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 31261500 |
|-------------|----------|

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com