

1089440

https://www.phoenixcontact.com/us/products/1089440

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Single-position adapters with CrossLink® interface for connecting miniature circuit breakers, 16 A, phase L2, with one fixed DIN rail, with conductors AWG 14 (2.5 mm²)

Commercial data

Item number	1089440
Packing unit	6 pc
Minimum order quantity	6 pc
Sales key	C470
Product key	CK78Z1
Catalog page	Page 53 (C-5-2019)
GTIN	4055626893914
Weight per piece (including packing)	60.766 g
Weight per piece (excluding packing)	60.766 g
Customs tariff number	85369095
Country of origin	DE



1089440

https://www.phoenixcontact.com/us/products/1089440

Technical data

Product properties

Product type	Adapter
Product family	CrossPowerSystem
Application	Device adapter

Electrical properties

Rated voltage	690 V AC (IEC)
	600 V AC (UL)
Rated current	16 A (IEC)
	16 A (UL)
Rated insulation voltage	800 V AC
Rated surge voltage	6 kV

Dimensions

Width	18 mm
Height	160 mm
Depth	35 mm

Standards and regulations

Standards/regulations	IEC 61439-1
	GB/T 7251.1



1089440

https://www.phoenixcontact.com/us/products/1089440

Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	27371392
ECLASS-12.0	27371392
ECLASS-13.0	27371392
ETIM	
ETIM 9.0	EC002498
UNSPSC	

39121100



https://www.phoenixcontact.com/us/products/1089440



Environmental product compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com