

SAC-5P-M12MSL/0,5-280/FSL FE - Power cable



1289453

<https://www.phoenixcontact.com/us/products/1289453>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Power cable, Plug straight M12, coding: L, on Socket straight M12, coding: L, for direct current up to 16 A/63 V

Commercial data

Item number	1289453
Packing unit	1 pc
Minimum order quantity	25 pc
Note	Made to order (non-returnable)
Product key	BF1CDP
GTIN	4063151520717
Weight per piece (including packing)	133.8 g
Weight per piece (excluding packing)	22.22 g
Country of origin	PL

SAC-5P-M12MSL/0,5-280/FSL FE - Power cable



1289453

<https://www.phoenixcontact.com/us/products/1289453>

Technical data

Product properties

Product type	Power cable
Application	Power supply
Coding	L

Insulation characteristics

Overvoltage category	III
Degree of pollution	3

Electrical properties

Nominal voltage U_N	63 V DC
Nominal current I_N	16 A

Connector

Connection 1

Type	Plug straight M12
Coding type	L (Power)

Connection 2

Type	Socket straight M12
Coding type	L (Power)

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP65
	IP67

SAC-5P-M12MSL/0,5-280/FSL FE - Power cable



1289453

<https://www.phoenixcontact.com/us/products/1289453>

Classifications

ECLASS

ECLASS-11.0	27060311
ECLASS-12.0	27060311
ECLASS-13.0	27060327

ETIM

ETIM 9.0	EC001855
----------	----------

UNSPSC

UNSPSC 21.0	26121600
-------------	----------

SAC-5P-M12MSL/0,5-280/FSL FE - Power cable



1289453

<https://www.phoenixcontact.com/us/products/1289453>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	---

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com