

Room operator panel - ERS 1000-L M WH - 1221853

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Emalytics Room Switch - compact operator panel for room functions such as lighting, shading, and temperature settings, with microphone and LSA connection, color: white.


The product photo shows a variant of the item

Your advantages

- ✓ A single operator panel for various room functions
- ✓ Intuitive operation with color display and short-stroke keys
- ✓ Special functions such as scenario control and information display
- ✓ Integration into the IT infrastructure via Ethernet interface
- ✓ Easy connection and configuration in the Emalytics building management system
- ✓ Room climate measurement with extension with sensor modules
- ✓ Power supply via Ethernet



Key Commercial Data

Packing unit	1
GTIN	 4 063151 310455
GTIN	4063151310455
Custom tariff number	85371098

Technical data

Dimensions

Installation dimensions: width, height, depth	56 mm x 56 mm x 50 mm (Installation in flush-type socket)
---	---

Display

Display type	4.6 cm / 1.8"-TFT
--------------	-------------------

Room operator panel - ERS 1000-L M WH - 1221853

Technical data

Computer data

Network	1x Ethernet (10/100 Mbps), LSA
Audio	Microphone
	integrated speakers

General

Extras	Brightness sensor
	Proximity sensor
Operating buttons	4

Ambient conditions


Degree of protection	IP30
Ambient temperature (operation)	-10 °C ... 40 °C
Ambient temperature (storage/transport)	-30 °C ... 80 °C

Device supply

Supply voltage	48 V DC (PoE)
----------------	---------------

Drawings

Dimensional drawing



Classifications

eCl@ss

eCl@ss 10.0.1	27330201
eCl@ss 11.0	27330201
eCl@ss 9.0	27330201

ETIM

ETIM 7.0	EC001412
----------	----------

