

NS 15 PERF 150MM - DIN rail perforated



1385140

<https://www.phoenixcontact.com/us/products/1385140>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DIN rail perforated, acc. to EN 60715, color: silver

Commercial data

Item number	1385140
Packing unit	1 pc
Minimum order quantity	20 pc
Product key	BH8421
GTIN	4063151760137
Weight per piece (including packing)	25.875 g
Weight per piece (excluding packing)	25.875 g
Country of origin	DE

NS 15 PERF 150MM - DIN rail perforated



1385140

<https://www.phoenixcontact.com/us/products/1385140>

Technical data

Product properties

Product type	DIN rail
--------------	----------

Dimensions

Width	15 mm
Hole width	12.2 mm
Height	5.5 mm
Hole height	4.2 mm
Drill hole spacing	20 mm

Material specifications

Color	silver
-------	--------

Standards and regulations

Tests	acc. to EN 60715
-------	------------------

NS 15 PERF 150MM - DIN rail perforated



1385140

<https://www.phoenixcontact.com/us/products/1385140>

Classifications

ECLASS

ECLASS-11.0	27400602
ECLASS-12.0	27400602
ECLASS-13.0	27400602

ETIM

ETIM 9.0	EC001285
----------	----------

UNSPSC

UNSPSC 21.0	39121700
-------------	----------

NS 15 PERF 150MM - DIN rail perforated



1385140

<https://www.phoenixcontact.com/us/products/1385140>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com