

https://www.phoenixcontact.com/us/products/0201139



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Insertion bridge, pitch: 6.2 mm, number of positions: 10, color: gray

#### Commercial data

Item number	0201139
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE19
Product key	BE1Z2X
Catalog page	Page 459 (C-1-2019)
GTIN	4017918098124
Weight per piece (including packing)	6.29 g
Weight per piece (excluding packing)	5.896 g
Customs tariff number	85366990
Country of origin	CN



https://www.phoenixcontact.com/us/products/0201139



#### Technical data

#### Product properties

Product type	Insertion bridge
Number of positions	10
Pitch	6.2 mm

#### Dimensions

Pitch	6.2 mm

#### Material specifications

Color	gray
Material	CuZn (nickel-plated)
Flammability rating according to UL 94	V2
Insulating material	PA

#### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-60 °C 105 °C
Ambient temperature (storage/transport)	-25 °C 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C 70 °C
Ambient temperature (actuation)	-5 °C 70 °C
Permissible humidity (storage/transport)	30 % 70 %

#### Mounting

Marintina tima	Communication
Mounting type	Screw mounting



https://www.phoenixcontact.com/us/products/0201139



## Classifications

#### **ECLASS**

ECLASS-11.0	27141140	
ECLASS-12.0	27141140	
ECLASS-13.0	27250303	
ETIM		
ETIM 9.0	EC000489	
	2000100	

#### **UNSPSC**

0201139

https://www.phoenixcontact.com/us/products/0201139



### Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com