

https://www.phoenixcontact.com/us/products/0303299



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Test plug strip, number of positions: 1, color: silver

Your advantages

- Test sockets PSB ... are used for a reliable test pick-off
- · All test sockets are screwed into the bridge shaft
- · All test sockets are screwed into the bridge shaft

Commercial data

Item number	0303299
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE19
Product key	BE1Z3X
Catalog page	Page 590 (C-1-2019)
GTIN	4017918000417
Weight per piece (including packing)	2.25 g
Weight per piece (excluding packing)	2.17 g
Customs tariff number	85366990
Country of origin	PL



https://www.phoenixcontact.com/us/products/0303299



Technical data

Product properties

Product type	Test socket
Number of positions	1

Connection data

Connection method	Plug-in connection
-------------------	--------------------

Dimensions

Dimensional drawing	16
Width	6 mm
Height	6 mm
Pin diameter	4.1 mm

Material specifications

Color	silver
Contact material	Silver-plated brass

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C 80 °C	
---------------------------------	--------------	--



https://www.phoenixcontact.com/us/products/0303299



Classifications

UNSPSC 21.0

ECLASS

Е	ECLASS-11.0	27440313
E	ECLASS-12.0	27440313
Е	ECLASS-13.0	27440313
ETIM		
Е	ETIM 9.0	EC002255
UNSI	PSC	

20122000

0303299

https://www.phoenixcontact.com/us/products/0303299



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com