

https://www.phoenixcontact.com/us/products/0305297



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Test plug strip, color: silver

## Your advantages

- Test sockets PSB ... are used for a reliable test pick-off
- · All test sockets are screwed into the bridge shaft
- · All test sockets are screwed into the bridge shaft

#### Commercial data

Item number	0305297
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE19
Product key	BE1Z3X
Catalog page	Page 390 (CL-2005)
GTIN	4017918000806
Weight per piece (including packing)	2.38 g
Weight per piece (excluding packing)	2.32 g
Customs tariff number	85366990
Country of origin	PL



https://www.phoenixcontact.com/us/products/0305297



### Technical data

#### Product properties

	Product type	Test socket
Сс	onnection data	
	Test socket torque	M3
	Connection method	Plug-in connection

#### **Dimensions**

Dimensional drawing	20,5
Width	6 mm
Height	8.5 mm
Screw thread	M3

### Material specifications

Color	silver
Contact material	Silver-plated brass

#### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-40 °C 80 °C
(-)	

## Mounting

Screw thread	M3



https://www.phoenixcontact.com/us/products/0305297



## Classifications

UNSPSC 21.0

#### **ECLASS**

ECLASS-11.0	27141148	
ECLASS-12.0	27141148	
ECLASS-13.0	27250304	
ETIM		
ETIM 9.0	EC002555	
UNSPSC		

20122000



https://www.phoenixcontact.com/us/products/0305297



## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com