

https://www.phoenixcontact.com/us/products/0710882



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Insertion bridge, pitch: 6.2 mm, number of positions: 2, color: orange



#### Commercial data

Item number	0710882
Packing unit	100 pc
Minimum order quantity	100 pc
Note	Made to order (non-returnable)
Product key	BE1Z2X
GTIN	4017918479299
Weight per piece (including packing)	1.1 g
Weight per piece (excluding packing)	1.09 g
Country of origin	PL



https://www.phoenixcontact.com/us/products/0710882



#### Technical data

#### Product properties

Product type	Insertion bridge
Number of positions	2
Pitch	6.2 mm

#### Dimensions

Pitch	6.2 mm

#### Material specifications

Color	orange
Material	CuZn (nickel-plated)
Insulating material	PA

#### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-60 °C 105 °C
Ambient temperature (storage/transport)	-25 °C 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C 70 °C
Ambient temperature (actuation)	-5 °C 70 °C
Permissible humidity (storage/transport)	30 % 70 %

#### Mounting

Mounting type	Screw mounting
---------------	----------------



https://www.phoenixcontact.com/us/products/0710882



## Classifications

#### **ECLASS**

	ECLASS-11.0	27141140
	ECLASS-12.0	27141140
	ECLASS-13.0	27250303
ETIM		
	ETIM 9.0	EC000489

#### **UNSPSC**

UNSPSC 21.0	39121400
-------------	----------



https://www.phoenixcontact.com/us/products/0710882



### Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com